

CorrSonic

Wireless Non-Intrusive Ultrasonic Corrosion/Erosion Monitoring Instrument

Metal Samples' CorrSonic is a non-intrusive ultrasonic corrosion/erosion monitoring instrument that uses WirelessHART protocol to communicate to SCADA or DCS systems.

The CorrSonic has three wireless transducer options: Thru-Coating, High Sensitivity Dual, or Ultra-High Temp Single.

The Thru-Coating option eliminates the need for coating removal. The High-Sensitivity Dual option offers precise thickness measurements. The Ultra-High Temp option has specialized coupling technology to monitor processes up to 932°F (500°C).

The instrument is available in stainless steel, copper-free aluminum, and PC enclosure variants suitable for different harsh environment requirements.




Technical Specifications

Model	
MS8000UT-HRT	
Data	
Instrument Weight (AL)	3.75 lbs. (1.7 kg)
Instrument Dimensions	16.55" x 3.46" x 5.0" (420.4mm x 87.88mm x 127mm)
Output Signal	WirelessHART
Data Access	SCADA or DCS
Battery Life	5 years at 2 readings per day
Mounting	Band clamp, magnetic base, welded studs
Measurement Frequency	12 hours (default) or user configurable to every hour

Options	Thru-Coating	High Sensitivity Dual	Ultra-High Temp
Probe Surface Temperature	-20°F (-28°C) up to 275°F (135°C)	-20°F (-28°C) up to 275°F (135°C)	-40°F (-40°C) up to 932°F (500°C)
Measurement Range	0.125" to 1.00" (3-25 mm)	0.040" to 6" (1-150mm)	0.125" to 1.00" (3-25 mm)
Measurement Resolution	0.001" (0.025mm)	0.001" (0.025mm)	0.001" (0.025mm)
Minimum Pipe Diameter	2" NPS	2" NPS	2" NPS
Element(s)	Dual	Dual	Single (Delay line)
Element Diameter	0.375"(9.53mm)	0.375"(9.53mm)	0.375"(9.53mm)
Element Frequency	5 MHz	5 MHz	7 MHz

Hazardous Location Certifications

Europe and Worldwide (ATEX and IECEx)	II 1 G Ex ia IIC T4 Ga Ambient range: With battery packs ET2812: - 40°C ≤ Ta ≤ + 70°C With battery packs ET2830: - 40°C ≤ Ta ≤ + 50°C ATEX Certificate No: CML 22ATEX2668X IECEx Certificate No: IECEx CML 22.0106X
---------------------------------------	---



Metal Samples Company

A Division of Alabama Specialty Products, Inc.

152 Metal Samples Rd., Munford, AL 36268 Phone: (256) 358-4202 Fax: (256) 358-4515

E-mail: mcs@alspi.com Internet: www.metalsamples.com